



B

Glass Technologies

Catalogo generale
divisione vetro piano

**Flat glass division
general catalogue**

Bottero

Glass Technologies

Catalogo generale
divisione vetro piano


**Flat glass division
general catalogue**



A complete range

Bottero
Glass Technologies






331 BKM



331 BKM	95 m/min	± 0.25 mm	2 ÷ 19 mm	6100 x 3300 mm 3650 x 2750 mm	7000 x 4220 mm 4600 x 3620 mm
	3743 ipm	± 0.01"	5/64" ÷ 3/4"	240" x 130" 144" x 108"	275" x 166" 181" x 142"



352 BCS/LMT

Bottero
Glass Technologies




352 BCS	120 m/min	± 0.15 mm	2 ÷ 25 mm	6100 x 3300 mm 3650 x 2750 mm 1850 x 2750 mm	7000 x 4030 mm 4600 x 3430 mm 2700 x 3500 mm
	4725 ipm	± 0.006"	5/64" ÷ 1"	240" x 130" 144" x 108" 108" x 72"	275" x 159" 181" x 135" 106" x 138"
352 LMT	100 m/min	± 0.15 mm	2 ÷ 25 mm	6100 x 3300 mm 3650 x 2750 mm 3710 x 3355 mm	7250 x 4500 mm 4800 x 4060 mm 4750 x 4650 mm
	3940 ipm	± 0.006"	5/64" ÷ 1"	240" x 130" 144" x 108" 146" x 132"	285" x 177" 189" x 160" 187" x 183"

Taglio Banchi di taglio Stand Alone • Monolitico

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

Taglio Banchi di taglio Stand Alone • Monolitico


Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito



332 BKM



332 BKM	120 m/min	± 0.25 mm	2 ÷ 19 mm	3810 x 2750 mm	4600 x 3350 mm
	4275 ipm	± 0.01"	5/64" ÷ 3/4"	150" x 108"	181" x 142"



578 BCS

Cutting

Edging

Drilling

CNC



578 BCS	120 m/min	± 0.15 mm	2 ÷ 25 mm	6100 x 3300 mm 3650 x 2750 mm	7250 x 4000 mm 4800 x 3500 mm
	4275 ipm	± 0.006"	5/64" ÷ 1"	240" x 130" 144" x 108"	285" x 157" 189" x 138"



511 LAM



511 LAM	3700 mm	3 + 0.38 PVB + 3 mm	6 + 3.04 PVB + 6 mm	8 + 4.56 PVB + 8 mm
	146"	1/8" + 0.015" PVB + 1/8"	1/4" + 0.12" PVB + 1/4"	5/16" + 0.180" PVB + 5/16"



601


Bottero
Glass Technologies



601	6100 mm	3 + 0.38 PVB + 3 mm	6 + 1.52 PVB + 6 mm
	240"	1/8" + 0.015" PVB + 1/8"	1/4" + 0.06" PVB + 1/4"

Taglio Banchi di taglio Stand Alone • Laminato

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito



520 LAM



520 LAM	3700 mm 4600 mm	3 + 0.38 PVB + 3 mm	8 + 4.56 PVB + 8 mm
	146" 181"	1/8" + 0.015" PVB + 1/8"	5/16" + 0.180" PVB + 5/16"

Taglio Banchi di taglio Stand Alone • Laminato


Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

Cutting

Edging

Drilling

CNC



341 BCS/LMT



341 BCS	120 m/min	± 0.15 mm	2 ÷ 25 mm	6100 x 3300 mm 3650 x 2750 mm	7100 x 4030 mm 4800 x 3590 mm
	4725 ipm	± 0.006"	5/64" ÷ 1"	240" x 130" 144" x 108"	280" x 159" 189" x 141"
341 LMT	100 m/min	± 0.15 mm	2 ÷ 25 mm	6100 x 3300 mm 3650 x 2750 mm	7250 x 4500 mm 4800 x 4060 mm
	3940 ipm	± 0.006"	5/64" ÷ 1"	240" x 130" 144" x 108"	285" x 177" 189" x 160"



345 DESME


Bottero
Glass Technologies



345 DESME	200 m/min	200 m/min	10 m/sec ²	± 0.1 mm	2 ÷ 25 mm	6100 x 3300 mm 3650 x 2750 mm	7690 x 4430 mm 5330 x 3880 mm
	7874 ipm	7874 ipm	1 G	± 0.004"	5/64" ÷ 1"	240" x 130" 144" x 108"	302" x 174" 210" x 153"

Taglio Banchi di taglio per linee • Monolitico

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito




340 BCS



HP High Precision	100 m/min	± 0.1 mm	2 ÷ 25 mm	6100 x 3300 mm 3650 x 2750 mm	7650 x 4030 mm 5330 x 3430 mm
	3940 ipm	± 0.004"	5/64" ÷ 1"	240" x 130" 144" x 108"	302" x 159" 210" x 135"
HS High Speed	160 m/min	± 0.15 mm	2 ÷ 25 mm	6100 x 3300 mm 3650 x 2750 mm	7650 x 4030 mm 5330 x 3430 mm
	6300 ipm	± 0.006"	5/64" ÷ 1"	240" x 130" 144" x 108"	302" x 159" 210" x 135"

Taglio Banchi di taglio per linee • Monolitico

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito



543 LMT

Cutting

Edging

Drilling


CNC



543 LMT	160 m/min	80 m/min	± 0.15 mm	2 ÷ 25 mm	6100 x 3300 mm 3710 x 3355 mm 3650 x 2750 mm	7690 x 4500 mm 5415 x 4500 mm 5330 x 3900 mm
	6300 ipm	3150 ipm	± 0.006"	5/64" ÷ 1"	240" x 130" 146" x 132" 144" x 108"	302" x 177" 213" x 177" 210" x 153"



535 AVL/AVM



545 VSX/VMX

Bottero
Glass Technologies



545 VSX	3700 mm (146")	2 + 0.38 PVB + 2 mm	10 + 4.56 PVB + 10 mm	12 + 4.56 PVB + 12 mm	-	yes
545 VMX	4600 mm (181")	5/64" + 0.015" PVB + 5/64"	25/64" + 0.12" PVB + 25/64"	1/2" + 0.180" PVB + 1/2"	80 m/min (3150 ipm)	
535 AVL	3700 mm (146")	2 + 0.38 PVB + 2 mm	10 + 4.56 PVB + 10 mm	12 + 4.56 PVB + 12 mm	-	no
535 AVM	4600 mm (181")	5/64" + 0.015" PVB + 5/64"	25/64" + 0.12" PVB + 25/64"	1/2" + 0.180" PVB + 1/2"	80 m/min (3150 ipm)	

Taglio Banchi di taglio per linee • Laminato


Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito



550 LXY

Taglio Banchi di taglio per linee • Laminato

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito



560 VLS

Cutting

Edging

Drilling

CNC



550 LXY	3700 mm (146")	3700 mm (146")	2 + 0.38 PVB + 2 mm	10 + 4.56 PVB + 10 mm	12 + 4.56 PVB + 12 mm
	4600 mm (181")	4600 mm (181")	5/64" + 0.015" PVB + 5/64"	25/64" + 0.12" PVB + 25/64"	1/2" + 0.180" PVB + 1/2"




560 VLS	3400 mm (134")	4600 mm (181")	3 + 0.38 PVB + 3 mm	6 + 1.52 PVB + 6 mm
			1/8" + 0.015" PVB + 1/8"	1/4" + 0.06" PVB + 1/4"



MODULE



MODULE 1450 x 3600 mm
57" x 142" 450 Kg
990lb



100 BBM/BLM

Bottero
Glass Technologies




100 BBM/BLM 2 mm (5/64") 19 mm (3/4") 6100 x 3300 mm (240 x 130")
3650 x 2750 mm (144" x 108") 7000 x 3660 mm (275" x 144")
4600 x 3060 mm (181" x 120")

Taglio Toncaggio • Troncaggio manuale

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

100 BLC




100 BLC 2 mm (5/64") 19 mm (3/4") 6100 x 3300 mm (240 x 130")
3650 x 2750 mm (144" x 108") 7100 x 3660 mm (279" x 144")
4800 x 3220 mm (189" x 127")

Taglio Toncaggio • Troncaggio automatico

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

SOL 06/10



543 LMT 3 ÷ 8 mm 2 ÷ 12 mm 6100 x 3300 mm
3650 x 2750 mm 250 x 250 mm
1/8" ÷ 5/16" 5/64" ÷ 1/2" 240" x 130"
144" x 108" 10" x 10"

Cutting

Edging

Drilling

CNC



506/507



506/507

2 ÷ 19 mm

2 ÷ 25 mm

3650 x 2750 mm

1200 mm

5/64" ÷ 3/4"

5/64" ÷ 1"

144" x 108"

47"



693 HPS

Bottero
Glass Technologies



693 HPS

X 60 ÷ Y 40 m/min

2 mm

19 mm

6100 x 3300 mm

X 2364 ÷ Y 1576 ipm

5/64"


3/4"

240" x 130"

Taglio Gestione magazzino

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

610/620/630/640



610/620/630/640

2 ÷ 19 mm

2 ÷ 25 mm

6100 x 3300 mm
3650 x 2750 mm

1200 mm

5/64" ÷ 3/4"

5/64" ÷ 1"

240" x 130"
144" x 108"

47"

Taglio Gestione magazzino

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

691 CRL



Cutting

Edging

Drilling

CNC



691 CRL

X 50 ÷ Y 30 m/min

3 ÷ 12 mm

3 ÷ 19 mm

6100 x 3300 mm
3650 x 2750 mm

X 1968 ÷ Y 1181 ipm


1/8" ÷ 1/2"

1/8" ÷ 3/4"

240" x 130"
144" x 108"



650



605

Bottero
Glass Technologies



650	24 m/min	6100 x 3300	400 mm	12500 Kg
	985 ipm	240" x 130"	15 3/4"	27560 lb




605	6100 x 3300 mm	50 sec.	400 mm	12500 Kg
	240" x 130"		15 3/4"	27560 lb

Taglio Gestione magazzino

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

680 STS



680 STS	6100 x 3300	1500 x 2750 mm	1000 Kg
	240" x 130"	59" x 108"	2205 lb

Taglio Gestione magazzino

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

PINZA



Cutting

Edging


Drilling

CNC

Model C D E F

PINZA

	3 ÷ 15 mm 1/8" ÷ 1/2"	10 ÷ 22 mm 25/64" ÷ 14/16"	22 ÷ 32 mm 14/16" ÷ 1 1/4"	32 ÷ 42 mm 1 1/4" ÷ 1 5/8"
	800 Kg 1764 lb	1000 Kg 2204 lb	1000 Kg 2204 lb	1000 Kg 2204 lb



VICTRALUX



VICTRALUX	40 x 40 mm	3 ÷ 30 mm	0,6 ÷ 6 m/min
	1 37/64" x 1 37/64"	1/8" ÷ 1 3/16"	24 ÷ 240 ipm



VISION


Bottero
Glass Technologies



VISION	40 x 40 mm	3 ÷ 30 mm	0,4 ÷ 6 m/min	55 mm (60 mm)	3 ÷ 45°
	1 37/64" x 1 37/64"	1/8" ÷ 1 3/16"	16 ÷ 240 ipm	2 11/64" (2 3/8")	

Molatura Molatura verticale

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito



VARIANT



VARIANT	100 x 100 mm	40 x 40 mm	0,4 ÷ 6 m/min	3 ÷ 50 mm	0 ÷ 45°
	4" x 4"	1 37/64" x 1 37/64"	16 ÷ 240 ipm	1/8" ÷ 2 11/64"	

Molatura Bisellatura verticale

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

Cutting

Edging

Drilling


CNC

GEMINI



GEMINI	3 ÷ 12 mm	80 x 80 mm	100 x 100 mm	1 ÷ 10 m/min	2 ÷ 20 m/min
	1/8" ÷ 1/2"	3 5/32" x 3 5/32"	4" x 4"	39 ÷ 394 ipm	78 ÷ 788 ipm

TITAN LOW-E



Bottero
Glass Technologies




TITAN LOW-E	3 ÷ 30 mm	360 x 360 mm	0,9 ÷ 9 m/min
	1/8" ÷ 1 3/16"	14" x 14"	35 ÷ 354 ipm

Molatura Molatura orizzontale

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

TITAN




TITAN	3 ÷ 30 mm	160 x 160 mm	0,1 ÷ 10 m/min
	1/8" ÷ 1 3/16"	6 19/64" x 19/64"	4 ÷ 394 ipm

Molatura Molatura orizzontale

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

671/672



Cutting

Edging

Drilling

CNC




671	2600 x 1200 102" x 47"	200 x 200 mm 8" x 8"	65 Kg 100 lb	1000 mm 39"
672	3000 x 1600 mm 118" x 63"	200 x 200 mm 8" x 8"	143 Kg 220 lb	1000 mm 39"



710



710	1020 x 1600 mm	80 x 80 mm	140 mm	1,8 ÷ 55 mm	3800 rpm
	2600 x 1350 mm (option)				
	40" x 24"	3 5/32" x 3 5/32"	5 1/2"	1/16" ÷ 2 11/64"	



770 DML/DMW

Bottero
Glass Technologies



770 DML/DMW	2600 x 1600 mm	250 x 100 mm	70 mm	3 ÷ 19 mm	6000 rpm DML 10000 rpm DMW
	2250 x 1250 mm				
	1600 x 800 mm				
	102" x 63"	9 27/32" x 4"	2 3/4"	1/8" ÷ 3/4"	
	87" x 49"				
	63" x 32"				

Foratura Foratura

Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

Foratura Foratura CNC


Taglio • Banchi di taglio Stand Alone • Monolito
Taglio • Banchi di taglio Stand Alone • Monolito

720 ATD



720 ATD	1600 x 800 mm	500 x 400 mm	50 mm	3 ÷ 19 mm	5000 rpm
	2600 x 1600 mm				
	3000 x 2000 mm				
	63" x 32"	20" x 16"	2"	1/8" ÷ 3/4"	
	102" x 63"				
	118" x 79"				

780 DMW



Cutting

Edging

Drilling

CNC



780 DMW	7200 x 3300 mm	500 x 500 mm	70 mm	3 ÷ 19 mm	10000 rpm
	284" x 130"				
		20" x 20"	2 3/4"	1/8" ÷ 3/4"	



ANTARES



421	1100 x 1600 mm	2 ÷ 19 mm	35 m/min
	43" x 63"	5/64" ÷ 3/4"	1379 ipm
422	1100 x 2200 mm	2 ÷ 19 mm	35 m/min
	43" x 87"	5/64" ÷ 3/4"	1379 ipm



PRATICA

Bottero
Glass Technologies



PRATICA	X 3250 ÷ Y 1700 ÷ Z 440 mm
	X 128" ÷ Y 67" ÷ Z 17 1/2"

CNC Incisione

Incisione
Incisione

TECHNOGROOVE



TECHNOGROOVE	X 3000 ÷ Y 1520 ÷ Z 170 mm	40 mm
	X 118" ÷ Y 60" ÷ Z 6.7"	1.57"

CNC Molatura

Molatura
Molatura

TECHNOREV 3-4 axis

Cutting

Edging

Drilling

CNC



3000 x 1500	X 3000 ÷ Y 1500 ÷ Z 390 mm	C 360° ∞
	X 118" ÷ Y 59" ÷ Z 15:35"	
4000 x 2300	X 4000 ÷ Y 2300 ÷ Z 390 mm	C 360° ∞
	X 157.5" ÷ Y 90.5" ÷ Z 15:35"	

Bottero

Glass Technologies

BOTTERO S.p.a. - 12010 Cuneo - Italy - via Genova 82
Tel. +39 0171 310611 - Fax +39 0171 401611
flatglass.sales@bottero.com
hollowglass@bottero.com
engineering@bottero.com

